

BHW

Bushey Hall Winchmaster

www.bhwgroup.com

DC3500 PRO HEAVY DUTY 12v or 24v DC WINCH

Developed in partnership with T-MAX

3500kg (34.39kN) Line Pull with Standard Drum or Long Drum options

TYPICAL USES: Commercial Recovery, Plant Moving, Fire & Rescue and Utilities Vehicles

Compliant with EN14492-1 Power Driven Winches



DC3500 PRO KIT

T-MAX Heavy Duty Electric Winch, 3.7m wanderlead, roller guides, tension roller, load limiter and 10mm diameter high tensile galvanised wire rope with grade 80 safety latch hook.

Options: Standard or long drum models, mounting plate. wireless IN-OUT control, circuit Isolator switch, In line slow burn fuse, heavy duty extension kit for wanderlead, air-shift freespool clutch., Emergency Stop.

FEATURES INCLUDE

- **4 Stage Heavy Duty Planetary Machined Gearing** - Providing long life and high mechanical efficiency.
- **Series Wound, 12v 4.8hp or 24v 7hp High Torque Motor** - Custom manufactured for extended service life.
- **Electronic Load Limiter** - Supplied as standard.
- **Freespool Manual Clutch** - Can also be operated by air-shift control.
- **10mm Diameter Wire Rope** - With grade 80 safety hook. Standard drum up to 23m, long drum up to 30m length.
- **Secure wire rope anchorage** - Providing full load holding.
- **Tension Roller** - Spring loaded to aid rope wrapping.
- **Heavy Duty Solenoids** - With silver layer on contacts to reduce heating and extend service life. Pre-wired to accept wireless control, reducing installation time.
- **4 Way Roller Guides** - The horizontal rollers are wide spaced to extend wire rope life.

Bushey Hall Winchmaster sales@bhwgroup.com www.bhwgroup.com

Southern Office: Lismirrane Industrial Park, Elstree Road, Elstree, Herts, WD6 3EE Tel: +44 (0)20 8953 6050 Fax: +44 (0)20 8207 5308

Northern Office: 6 South Orbital Trading Park, Hedon Road, Hull, East Yorkshire, HU9 1NJ Tel: +44 (0)1482 223 663 Fax: +44 (0)1482 218 285

Bushey Hall Winchmaster is a division of BHW Group Limited. Registered in England No. 1342461. VAT No. 301 7915 80



